

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/017,398	12/18/2001	Senthil Sengodan	005288.00014	8170
22907 7590 10/26/2007 BANNER & WITCOFF, LTD. 1100 13th STREET, N.W.			EXAMINER	
			MATTIS, JASON E	
SUITE 1200 WASHINGTO	N, DC 20005-4051		ART UNIT	PAPER NUMBER
,			2616	
			MAIL DATE	DELIVERY MODE
			10/26/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/017,398	SENGODAN, SENTHIL
Office Action Summary	Examiner	Art Unit
	Jason E. Mattis	2616 ·
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet w	vith the correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING E - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNI 136(a). In no event, however, may a I will apply and will expire SIX (6) MOI te, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).
Status		
 Responsive to communication(s) filed on 23 A This action is FINAL. Since this application is in condition for allowated closed in accordance with the practice under 	s action is non-final. ance except for formal mat	
Disposition of Claims	•	·
4) Claim(s) 8-14,28,31,32,35-37 and 39-51 is/ar 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 8-14, 28, 31, 32, 35-37, and 39-51 is 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examin	ewn from consideration. 6/are rejected. or election requirement. er.	
10) The drawing(s) filed on is/are: a) acceptable and acceptable and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct should be acceptable and the correct should be accepta	e drawing(s) be held in abeya	nce. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat * See the attached detailed Office action for a list	ats have been received. ats have been received in A prity documents have been au (PCT Rule 17.2(a)).	Application No received in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) (s)/Mail Date
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date		Informal Patent Application

DETAILED ACTION

1. This Office Action is in response to the Amendment filed 8/23/07. Due to the amendment, the previous rejections under 35 U.S.C. 112 have been withdrawn. Claims 1-7, 15-27, 29, 30, 33, 34, and 38 have been cancelled. New claims 40-51 have been added. Claims 8-14, 28, 31, 32, 35-37, and 39-51 are currently pending in the application.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 8-14, 28, 31, 32, 35, 36, and 39-51 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bertrand et al. (U.S. Pat. 6687252 B1) in view of Takeda et al. (U.S. Publication US 2001/0048686 A1) and in further view of Applicant's admitted prior (as found in the Applicant's specification).

With respect to claims 8, 32, 40, and 49, Bertrand et al. discloses a method in a computer server (See column 4 line 31 to column 5 line 3 and Figure 1 of Bertrand et al. for reference to a method for dynamically allocating IP addresses to mobile terminals in a GPRS network including an SGSN, which is a server).

Bertrand et al. also discloses receiving an Activate PDP Context Request message at a SGSN from a mobile station (See column 5 lines 4-15 and Figure 1 of Bertrand et al. for reference to a mobile terminal (MT), which is a mobile station, sending an Activate PDP Context Request message to a SGSN). Bertrand et al. further discloses sending an Activate PDP Context Accept message to the mobile station containing information assigning an address to the mobile station (See column 5 lines 52-67 of Bertrand et al. for reference to the SGSN providing the assigned IP address to the mobile terminal using an Activate PDP Context Accept message). Bertrand et al. does not disclose that the Activate PDP Context Request message and the Create PDP Context Request message have an APN field containing information that explicitly indicates requesting one of a private network address and a public network address. Bertrand et al. also does not disclose that the public network address or private network address is assigned based on the information contained in the APN field of the Create PDP Context Request message.

With respect to claims 28, 47, and 48, Bertrand et al. discloses a method in a computer server (See column 4 line 31 to column 5 line 3 and Figure 1 of Bertrand et al. for reference to a method for dynamically allocating IP addresses to mobile terminals in a GPRS network including an SGSN, which is a server). Bertrand et al. also discloses receiving a Create PDP Context Request message from a SGSN at a GGSN (See column 5 lines 4-15 and Figure 1 of Bertrand et al. for reference to the SGSN sending a Create PDP Context Request message to a GGSN). Bertrand et al. further discloses assigning one of a private network address and a public network

Application/Control Number: 10/017,398

Art Unit: 2616

address to the mobile station and sending a Create PDP Context Response message form the GGSN to the SGSN containing the information assigning the address (See the abstract and column 5 lines 16-67 of Bertrand et al. for reference to the GGSN assigning one of a public IP address or a private IP address to the mobile terminal in response to the Create PDP Context Request message and for reference to sending a Create PDP Context Response message from the GGSN to the SGSN containing information assigning the address). Bertrand et al. does not disclose that the Activate PDP Context Request message and the Create PDP Context Request message have an APN field containing information that explicitly indicates requesting one of a private network address and a public network address. Bertrand et al. also does not disclose that the public network address or private network address is assigned based on the information contained in the APN field of the Create PDP Context Request message.

With respect to claim 31, Bertrand et al. discloses a method (See column 4 lines 31-37 and Figure 1 of Bertrand et al. for reference to a method for dynamically allocating IP addresses to mobile terminals in a GPRS network).

Bertrand et al. also discloses receiving a Create PDP Context Request message from a SGSN at a BG (See column 5 lines 5-67 and Figure 1 of Bertrand et al. for reference to the SGSN sending a Create PDP Context Request message to a GGSN that forwards the message to a Radius server (RS), which is a BG, in response to the SGSN receiving the Activate PDP Context Request). Bertrand et al. further discloses assigning one of a private network address and a public network

Application/Control Number: 10/017,398

Art Unit: 2616

address to the mobile station and sending a Create PDP Context Response message form the BG to the SGSN containing the information assigning the address (See the abstract and column 5 lines 16-67 of Bertrand et al. for reference to the RS assigning one of a public IP address or a private IP address to the mobile terminal in response to the Create PDP Context Request message and for reference to sending a Create PDP Context Response message from the RS through the GGSN to the SGSN containing information assigning the address). Bertrand et al. does not disclose that the Activate PDP Context Request message and the Create PDP Context Request message have an APN field containing information that explicitly indicates requesting one of a private network address and a public network address. Bertrand et al. also does not disclose that the public network address or private network address is assigned based on the information contained in the APN field of the Create PDP Context Request message.

With respect to claim 39, Bertrand et al. discloses a method (See column 4 lines 31-37 and Figure 1 of Bertrand et al. for reference to a method for dynamically allocating IP addresses to mobile terminals in a GPRS network).

Bertrand et al. also discloses receiving an Activate PDP Context Request message at a SGSN from a mobile station (See column 5 lines 4-15 and Figure 1 of Bertrand et al. for reference to a mobile terminal (MT), which is a mobile station, sending an Activate PDP Context Request message to a SGSN). Bertrand et al. further discloses sending an Activate PDP Context Accept message to the mobile station containing information assigning an address to the mobile station (See column 5 lines

52-67 of Bertrand et al. for reference to the SGSN providing the assigned IP address to the mobile terminal using an Activate PDP Context Accept message). Bertrand et al. does not disclose that the Activate PDP Context Request message and the Create PDP Context Request message have an APN field containing information that explicitly indicates requesting one of a private network address and a public network address. Bertrand et al. also does not disclose that the public network address or private network address is assigned based on the information contained in the APN field of the Create PDP Context Request message.

With respect to claims 9 and 41, Bertrand et al. discloses sending a Create
PDP Context Request message form the SGSN to a GGSN (See column 5 lines 4-15
and Figure 1 of Bertrand et al. for reference to the SGSN sending a Create PDP
Context Request message to a GGSN in response to the SGSN receiving the
Activate PDP Context Request). Bertrand et al. also discloses receiving a Create
PDP Context Response message from the GGSN containing information assigning an
address (See the abstract and column 5 lines 16-67 of Bertrand et al. for reference
to sending a Create PDP Context Response message from the GGSN to the SGSN
containing information assigning the address). Bertrand et al. does not disclose that
the Activate PDP Context Request message and the Create PDP Context Request
message have an APN field containing information that explicitly indicates requesting
one of a private network address and a public network address. Bertrand et al. also
does not disclose that the public network address or private network address is

assigned based on the information contained in the APN field of the Create PDP Context Request message.

With respect to claim 10, Bertrand et al. further discloses the SGSN sending a Create PDP Context Request message to a Gateway GPRS Support Node (GGSN) in response to the Activate PDP Context Request (See column 5 lines 4-15 and Figure 1 of Bertrand et al. for reference to the SGSN sending a Create PDP Context Request message to a GGSN in response to the SGSN receiving the Activate PDP Context Request). Bertrand et al. also discloses the GGSN assigning one of a private network address and a public network address to the mobile station in response to the Create PDP Context Request message and sending a Create PDP Context Response message from the GGSN to the SGSN containing the information assigning the address to the mobile station (See the abstract and column 5 lines 16-67 of Bertrand et al. for reference to the GGSN assigning one of a public IP address or a private IP address to the mobile terminal in response to the Create PDP Context Request message and for reference to sending a Create PDP Context Response message from the GGSN to the SGSN containing information assigning the address). Bertrand et al. does not disclose that the Activate PDP Context Request message and the Create PDP Context Request message have an APN field containing information that explicitly indicates requesting one of a private network address and a public network address. Bertrand et al. also does not disclose that the public network address or private network address is assigned based on the information contained in the APN field of the Create PDP Context Request message.

With respect to claims 11 and 42, Bertrand et al. discloses the SGSN sending a Create PDP Context Request message to a Border Gateway (BG) in response to the Activate PDP Context Request (See column 5 lines 5-67 and Figure 1 of Bertrand et al. for reference to the SGSN sending a Create PDP Context Request messages to a GGSN that forwards the message to a Radius server (RS), which is a BG, in response to the SGSN receiving the Activate PDP Context Request). Bertrand et al. also discloses sending a Create PDP Context Response message from the BG to the SGSN containing the information assigning the address to the mobile station (See the abstract and column 5 lines 16-67 of Bertrand et al. for reference to sending a Create PDP Context Response message from the RS through the GGSN to the SGSN containing information assigning the address). Bertrand et al. does not disclose that the Activate PDP Context Request message and the Create PDP Context Request message have an APN field containing information that explicitly indicates requesting one of a private network address and a public network address. Bertrand et al. also does not disclose that the public network address or private network address is assigned based on the information contained in the APN field of the Create PDP Context Request message.

With respect to claim 12, Bertrand et al. discloses the SGSN sending a Create PDP Context Request message to a Border Gateway (BG) in response to the Activate PDP Context Request (See column 5 lines 5-67 and Figure 1 of Bertrand et al. for reference to the SGSN sending a Create PDP Context Request messages to a GGSN that forwards the message to a Radius server (RS), which is a BG, in

response to the SGSN receiving the Activate PDP Context Request). Bertrand et al. also discloses the BG assigning one of a private network address and a public network address to the mobile station in response to the Create PDP Context Request message and sending a Create PDP Context Response message from the BG to the SGSN containing the information assigning the address to the mobile station (See the abstract and column 5 lines 16-67 of Bertrand et al. for reference to the RS assigning one of a public IP address or a private IP address to the mobile terminal in response to the Create PDP Context Request message and for reference to sending a Create PDP Context Response message from the RS through the GGSN to the SGSN containing information assigning the address). Bertrand et al. does not disclose that the Activate PDP Context Request message and the Create PDP Context Request message have an APN field containing information that explicitly indicates requesting one of a private network address and a public network address. Bertrand et al. also does not disclose that the public network address or private network address is assigned based on the information contained in the APN field of the Create PDP Context Request message.

With respect to claim 14, Bertrand et al. does not disclose that the Activate PDP Context Accept message contains address assignment information based on the information contained in the APN field of the Activate PDP Context Request message.

With respect to claim 46, Bertrand et al. does not disclose that the information comprises one or more parameters that explicitly indicates requesting one of a private network address and a public network address to be assigned to the mobile station.

With respect to claim 51, Bertrand et al. discloses a system comprising an SGSN configured to send a Create PDP Context Request to a GGSN of a network (See column 5 lines 4-15 and Figure 1 of Bertrand et al. for reference to an SGSN sending a Create PDP Context Request message to a GGSN in response to the SGSN receiving the Activate PDP Context Request). Bertrand et al. also discloses a GGSN configured to send the Create PDP Context Request message to a BG See column 5 lines 5-67 and Figure 1 of Bertrand et al. for reference to the GGSN forwarding the Create PDP Context Request message to a Radius server (RS), which is a BG). Bertrand et al. further discloses sending a Create PDP Context Response message containing the information assigning the address to the mobile station from the BG to the GGSN and from the GGSN to the SGSN (See the abstract and column 5 lines 16-67 of Bertrand et al. for reference to sending a Create PDP Context Response message from the RS through the GGSN to the SGSN containing information assigning the address). Bertrand et al. does not disclose that the Activate PDP Context Request message and the Create PDP Context Request message have an APN field containing information that explicitly indicates requesting one of a private network address and a public network address. Bertrand et al. also does not disclose that the public network address or private network address is assigned based on the information contained in the APN field of the Create PDP Context Request message.

With respect to claims 8-12, 14, 28, 31, 32, 39-42, 46-49, and 51, Takeda et al., in the field of communications, discloses an Activate PDP Context Request

message and a Create PDP Context Request message that have an APN field containing information that explicitly indicates requesting one of a private network address and a public network address to be assigned to a mobile station (See pages 2-3 paragraphs 26-27, page 5 paragraphs 71-72, pages 5-6 and 89-97, and Figure 5 of Takeda et al. for reference to an Activate PDP Context Request message and a Create PDP Context Request message that have an APN field containing information identifying a destination network gateway node, which is information explicitly indicating requesting one of a private network address and a public network address since the destination network gateway is inherently either located within the private network of the mobile or a public network meaning the request is explicitly for the type of address needed to reach the destination node). Using an Activate PDP Context Request message and a Create PDP Context Request message that have an APN field containing information relating to a request for an address has the advantage of allowing address assignment to be based on the destination network that a mobile station is requesting to communicate with.

It would have been obvious for one of ordinary skill in the art at the time of the invention, when presented with the work of Takeda et al., to combine using an Activate PDP Context Request message and a Create PDP Context Request message that have an APN field containing information relating to a request for an address, as suggested by Takeda et al., with the system and method of Bertrand et al., with the motivation being to allow address assignment to be based on the destination network that a mobile station is requesting to communicate with.

With respect to claims 8-12, 14, 28, 31, 32, 39-42, 46-49, and 51, Although

Takeda et al. discloses using an APN field identifying the destination network that a
mobile station wishes to communicate, the combination of Bertrand et al., and Takeda
et al. does not disclose using destination network information to assigned one of a
private network address and a public network address to the mobile station. Applicant's
admitted prior art discloses using destination network information to assign one of a
private network address and a public network address to a mobile station as implicitly
indicated by the destination network information (See page 4 paragraph 8 of the

Applicant's specification for reference to using information about which domain,
or network, a host, or mobile station, is to be in communication with in order to
determine whether to assign a private IP address or a public IP address). Using
destination network information to assign one of a private network address and a public
network address to a mobile station has the advantage of allowing a limited pool of
public IP addresses to be assigned to mobile stations only when absolutely needed.

It would have been obvious for one of ordinary skill in the art at the time of the invention, when presented with the Applicant's admitted prior art, to combine using destination network information to assign one of a private network address and a public network address to a mobile station, as suggested by the Applicant's admitted prior art, with the system and method of Bertrand et al. and Takeda et al., with the motivation being to allow a limited pool of public IP addresses to be assigned to mobile stations only when absolutely needed.

With respect to claim 13, Bertrand et al. discloses sending the Create PDP

Context Request message form the SGSN to a GGSN and from the GGSN to the BG

(See column 5 lines 5-67 and Figure 1 of Bertrand et al. for reference to the SGSN sending a Create PDP Context Request messages to a GGSN that forwards the message to a Radius server (RS), which is a BG, in response to the SGSN receiving the Activate PDP Context Request). Bertrand et al. also discloses receiving the Create PDP Context Response message at the GGSN from the BG and at the SGSN from the GGSN (See the abstract and column 5 lines 16-67 of Bertrand et al. for reference to sending a Create PDP Context Response message from the RS through the GGSN to the SGSN containing information assigning the address).

With respect to claims 35, 43, and 50, Bertrand et al. discloses that address is one of an IPv4 or IPv6 network address (See column 3 lines 2-11 of Bertrand et al. for reference to assigned addresses being IP addresses, which at the time of the invention, are in the form of IPv4 or IPv6 network addresses).

With respect to claims 36 and 44, Bertrand et al. discloses that the network is a GPRS communications network (See column 1 liens 7-11 for reference to the system being a GPRS communications system).

4. Claims 37 and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bertrand et al., in view of Takeda et al., and Applicant's admitted prior art as applied to claims 1-6, 8-18, 20-26, 28-29, 31-36, and 39 above, and further in view of Boudreaux (U.S. Pat. 6466556 B1).

With respect to claims 37 and 45, the combination of Bertrand et al., Takeda et al., and Applicant's admitted prior art does not disclose using a Universal Mobile Telecommunications System.

With respect to claims 37 and 45, Boudreaux, in the field of communications

discloses using a Universal Mobile Telecommunications System (See column 1 lines

48-61 of Boudreaux for reference to using a Universal Mobile

Telecommunications System). Using a Universal Mobile Telecommunications

System has the advantage of using a widely accepted and used communication system architecture.

It would have been obvious for one of ordinary skill in the art at the time of the invention, when presented with the work of Boudreaux, to combine using a Universal Mobile Telecommunications System, as suggested by Boudreaux, with the system and method of Bertrand et al., Takeda et al., and Applicant's admitted prior art, with the motivation being to use a widely accepted and used communication system architecture.

Response to Arguments

5. Applicant's arguments filed 8/23/07 have been fully considered but they are not persuasive.

In response to Applicant's argument that Takeda et al. does not disclose returning an IP address to the mobile node that is an IP address assigned to the mobile

node, the Examiner respectfully disagrees. Takeda et al. discloses a method (See pages 5-6 paragraphs 90-97 and Figure 5 of Takeda et al.) including a mobile terminal sending an Activate PDP Context Request including an APN (step 109) to a subscriber node that sends a Create PDP Context Request the APN (step 110) to a gateway that makes a decision about whether an IP address needs to be allocated (See paragraph 94) and requests an IP address be allocated to the mobile node when needed (step 116) and sends an IP address allocated to the mobile terminal (steps 120 and 121). Thus Takeda et al. does disclose requesting and allocating an IP address using information in an APN field of an Activate PDP Context Request message.

In response to Applicant's argument that to combination of Bertrand, Takeda and Applicant's admitted prior art fails to disclose the current claim limitation of "an APN filed containing information that explicitly indicates requesting one of a public network address and a private network address", the Examiner respectfully disagrees. First, as discussed in the Response to Arguments section of the previous Office Action, it is pointed out that the current phrasing of this claim limitation has a broader meaning than is identified by the Applicant's argument. Since the limitation is written in the alternative, it is only required that the APN field information indicates either a public address or a private network address. Also, since addresses may only be either a public address or a private address, any teaching of explicitly requesting an address is sufficient to cover the current claim limitation. It is recommended that the claims be amended such the above quoted limitation is more in line with the Applicant's arguments. However, even if the claims were amended so that the above quoted limitation had the same meaning as

argued by the Applicant, it is still believed that the combination of Bertrand, Takeda and Applicant's admitted prior teaches this limitation. Takeda teaches using an APN parameter in a Create PDP Context Request and assigning and IP address based on the APN parameter (See pages 2-3 paragraphs 26-28 of Takeda). The Applicant's admitted prior art discloses using information about which domain, or network, a host, or mobile station, is to be in communication with in order to determine whether to assign a private IP address or a public IP address (See page 4 paragraph 8 of the Applicant's specification). The combination of Takeda's teaching with the teaching of the Applicant's admitted prior art yields a method of using an APN parameter in a Create PDP Context Request and assigning a private address or a public address based on the APN destination information in the request. The description of how the Applicant's invention uses an APN field to explicitly indicate whether a public address or private address assignment is desired can be found in paragraph 35 of the Applicant's specification. The Applicant's specification states that explicitly indicating whether a public address or private address assignment is desired is accomplished by setting particular bits of the APN field. The combination of Bertrand, Takeda and Applicant's admitted prior art discloses that the APN parameter contains bits indicating the identity of a destination APN (See Takeda) and since the location of the destination is used to determining whether to assign a public address or a private address (See Applicant's admitted prior art) the combination of teachings does meet the Applicant's definition of an "explicit indication" from paragraph 35 of the Applicant's specification. More specifically, the identity of the destination APN in the Create PDP Context Request

message of Takeda corresponds to setting particular bits of the APN field to explicitly indicate whether a public or a private network address assignment is desired.

Applicant's argument that paragraph 8 of the Applicant's specification describes the use of a Network Address Translator, NAT, that operates differently from the claimed invention is moot since it is clear that paragraph 8 of the Applicant's specification is concerned with using Realm Specific IP, RSIP, which eliminates the need for a NAT as disclosed in paragraph 12 of the Applicant's specification.

Conclusion

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Application/Control Number: 10/017,398

Art Unit: 2616

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason E. Mattis whose telephone number is (571) 272-

Page 18

3154. The examiner can normally be reached on M-F 8AM-5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu can be reached on (571) 272-3155. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

jem

HÚY D. VII

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600